[6th September 1928

APPENDIX V.

[Vide answer to question No. 217 (A) asked by Mr. C. N. Muthuranga Mudaliyar at the meeting of the Legislative Council held on 6th September 1928, page 363 supra.]

Statement showing the accepted tender rates for sheepskins and other articles for the years 1926–27, 1927–28 and 1928–29.

SCHEDULE FOR GROUP I—WOOD.

Description of articles.		Rate, 1926–27.			Rate, 1927–28.			Rate, 1928–29.		
		RS.	A.	P.	RS	A.	P.	RS.	A.	P.
Teakwood in lengths as ordered but not usually more than 10 feet long 1½" × 1½"	R. ft.	..			..			0	1	6
Do. do. 2" × ¾"	,,	..			..			0	1	6
Do. do. 2" × 1"	,,	0	1	6	0	1	6	0	1	6
Do. do. 3" × 1"	,,	0	2	6	0	2	6	0	2	6
Do. do. 4" × 1"	,,	0	2	6	0	2	6	0	2	6
Do. do. 5" × 1"	,,	0	4	0	0	4	0	0	4	0
Do. do. 6" × 1"	,,	0	4	6	0	4	6	0	4	6
Do. do. 7" × 1"	,,	..			..			0	7	0
Do. do. 8" × 1"	,,	0	7	0	0	7	0	0	7	0
Do. do. 9" × 1"	,,	..			..			0	8	0
Do. do. 10" × 1"	,,	0	11	0	0	11	0	0	11	0
Do. do. 12" × 1"	,,	0	12	6	0	12	6	0	12	6
Do. do. 15" × 1"	,,	0	15	6	0	15	6	0	15	6
Do. do. 2" × 2"	,,	0	2	6	0	2	6	0	2	6
Do. do. 3" × 2"	,,	0	5	0	0	5	0	0	5	0
Do. do. 4" × 2"	,,	0	6	0	0	6	0	0	6	0
Do. do. 5" × 2"	,,	0	7	6	0	7	6	0	7	6
Do. do. 6" × 2"	,,	0	9	6	0	9	6	0	9	6
Do. do. 7" × 2"	,,	0	12	6	0	12	6	0	12	6
Do. do. 8" × 2"	,,	0	13	0	0	13	0	0	13	0
Do. do. 9" × 2"	,,	1	0	0	1	0	0	1	0	0
Do. do. 3" × 3"	,,	0	6	0	0	6	0	0	6	0
Do. do. 4" × 3"	,,	0	8	0	0	8	0	0	8	0
Do. do. 5" × 3"	,,	0	11	0	0	11	0	0	11	0
Do. do. 6" × 3"	,,	0	13	0	0	13	0	0	13	0
Do. do. 8" × 3"	,,	1	1	0	1	0	0	1	0	0
Do. do. 4" × 4"	,,	0	11	0	0	11	0	0	11	0
Do. do. 5" × 4"	,,	0	12	6	0	12	6	0	12	6
Do. do. 6" × 4"	,,	0	12	6	0	12	6	0	12	6
Do. do. 8" × 4"	,,	1	4	0	1	4	0	1	4	0
Do. do. 4" × ½"	,,	0	2	0	0	2	0	0	2	0
Do. do. 6" × ½"	,,	0	3	0	0	3	0	0	3	0
Do. do. 8" × ½"	,,	0	4	0	0	4	0	0	4	0
Do. do. 10" × ½"	,,	0	6	6	0	6	6	0	6	6
Do. do. 12" × ½"	,,	..			..			0	7	0
Do. do. 15" × ½"	,,	..			..			0	9	0
Trincomallee wood as above, 6" × 2"	,,	1	5	0	1	5	0	1	5	0
Do. do. 4" × 3"	,,	1	5	0	1	5	0	1	5	0
Satin wood as above, 4½" × 3½"	,,	0	12	0	0	12	0	0	12	0
Rose wood do. 4" × 3"	,,	1	0	0	1	0	0	1	0	0
Mango wood, 12" × 1"	,,	..			..			0	1	6
Do. 15" × 1"	,,	..			..			0	2	0
Jungle wood, 3' × 2" × 2"	Cwt.	0	8	0	0	8	0	0	8	0

6th September 1928]

SCHEDULE FOR GROUP II—HARDWARE.

Description of articles.		Rate, 1926–27.			Rate, 1927–28.			Rate, 1928–29.		
		RS.	A.	P.	RS.	A.	P.	RS.	A.	P.
Basin, enamelled, 1½' diameter	No.	3	0	0	1	8	0	1	8	0
Do. aluminium, 1½' do.	,,	5	0	0	2	0	0	2	0	0
Bolts and nuts with washers, ¼" thick, 1" to 8" long.	Doz.	0	6	0	0	6	0	0	6	0
Do. ½" do.	,,	0	8	0	0	8	0	0	8	0
Do. ¾" do.	,,	0	10	0	0	8	0	0	8	0
Do. 1" do.	,,	0	12	0	0	8	0	0	8	0
Brass wire, $\frac{1}{16}$" to 1" thick	Lb.	1	8	0	1	8	0	1	8	0
Brass sheet, ⅛" to ½" thick	,,	1	8	0	1	8	0	1	8	0
Rings, brass, with screws	No.	0	4	0	0	2	0	0	2	0
Rings, iron do.	,,	0	2	0	0	1	0	0	1	0
Buckets, zinc, rivetted, 12" high, 12" diameter at top inside.	,,	2	8	0	1	8	0	1	8	0
Bucket, enamelled, 12" high, 12" diameter ..	,,	4	0	0	4	0	0	4	0	0
Buckets, iron, for latrine, 12" high, 12" diameter at top inside.	,,	3	8	0		..		3	0	0
Chimneys, best, iron, ⅛" thick, 18' long, 5¼" diameter.	,,	15	8	0	15	0	0	15	0	0
Do. do. 14' do. 5¼" do.	,,	15	8	0	15	0	0	15	0	0
Do. do. 14' do. 6" do.	,,	15	8	0	15	0	0	15	0	0
Do. do. 14' do. 7" do.	,,	15	8	0	15	0	0	15	0	0
Chisels, carpenter's, plane, double, 1¾", English ..	,,	2	12	0	2	0	0	2	0	0
Do. do. 2" do. ..	,,	3	12	0	2	4	0	2	4	0
Do. do. 2¼" do. ..	,,	4	0	0	2	8	0	2	8	0
Do. do. ½"	,,	1	4	0	0	10	0	0	10	0
Do. do. ¾"	,,	1	4	0	0	12	0	0	12	0
Do. do. 1"	,,	1	4	0	0	14	0	0	14	0
Do. do. 1¼"	,,	1	4	0	1	0	0	1	0	0
Do. do. 1½"	,,	1	4	0	1	2	0	1	2	0
Copper plate, ⅛" to ½" thick	Lb.	2	0	0	1	8	0	1	8	0
Do. rivets, ⅛" to 1" with washers	Gross.	4	0	0	2	8	0	2	8	0
Do. do. without washers ..	,,	4	0	0	2	8	0	2	8	0
Copper wire, $\frac{1}{16}$" to 1" diameter	Lb.	2	0	0	1	8	0	1	8	0
Door slide bolts, of sizes, with screws	Sets.		..			..		1	0	0
Iron hasps and staples for padlocks	,,	1	6	0	0	12	0	0	12	0
Brass do. do.	,,	2	4	0	1	2	0	1	2	0
Files, 3 cornered, 4" long (red mark)	,,	0	11	0	0	6	0	0	6	0
Do. do. 5" do. (do.)	,,	0	11	0	0	6	0	0	6	0
Do. do. 6" to 12" long (red mark)	No.	1	4	0	1	0	0	1	0	0
Do. square, 6" to 12" do.	,,		..			..		1	0	0
Do. flat, smooth, 16" long	,,	6	0	0	3	8	0	3	8	0
Do. rough, 16" do.	,,	4	8	0	3	0	0	3	0	0
Do. smooth, 14" do.	,,	5	0	0	3	0	0	3	0	0
Do. rough, 14" do.	,,	4	0	0	2	12	0	2	12	0
Do. smooth, 12" do.	,,	3	8	0	2	12	0	2	12	0
Do. rough, 12" do.	,,	3	0	0	2	8	0	2	8	0
Do. smooth, 10" do.	,,	2	4	0	2	8	0	2	8	0
Do. rough, 10" do.	,,	1	12	0	1	12	0	1	12	0
Do. smooth, 9" do.	,,	1	12	0	1	0	0	1	0	0
Do. rough, 9" do.	,,	1	10	0	1	0	0	1	0	0
Do. smooth, 8" do.	,,	1	8	0	1	0	0	1	0	0
Do. rough, 8" do.	,,	1	4	0	1	0	0	1	0	0
Do. smooth, 6" do.	,,	1	4	0	0	12	0	0	12	0
Do. rough, 6" do.	,,	1	2	0	0	8	0	0	8	0
Do. smooth, 4" do.	,,	0	11	0	0	6	0	0	6	0
Do. rough, 4" do.	,,	0	10	0	0	5	0	0	5	0
Do. punch-cutting, 4" long, round, 3-cornered or flat.	,,	0	12	0	0	8	0	0	8	0
Files, half round, 12", rough and smooth	,,	2	4	0	1	12	0	1	12	0
Do. 10" do	,,	2	0	0	1	4	0	1	4	0
Do. 9" do.	,,	1	8	0	1	2	0	1	2	0

[6th September 1928

Schedule for Group II—Hardware—*cont.*

Description of articles.		Rate, 1926-27.			Rate, 1927-28.			Rate, 1928-29.		
		RS.	A.	P.	RS.	A.	P.	RS.	A.	P.
Files, half round, 8″ rough and smooth	No.	1	4	0	1	0	0	1	0	0
Do. 6″ do.	,,	1	2	0	0	12	0	0	12	0
Files, round, 12″	,,	2	0	0	1	8	0	1	8	0
Do. 10″	,,	1	14	0	1	6	0	1	6	0
Do. 9″	,,	..			..			1	5	0
Do. 8″	,,	1	12	0	1	4	0	1	4	0
Do. 6″	,,	1	8	0	1	2	0	1	2	0
Do. 4″	,,	1	4	0	1	0	0	1	0	0
File, knife, 6″ to 12″ long	,,	..			..			1	0	0
Do. 10″	,,	1	8	0	1	0	0		..	
Gavers of sorts	,,	..			..			0	12	0
Hack saw blade, thick and thin	,,	..			..			0	12	0
Hammers, $\frac{1}{4}$ lb.	,,	0	14	0	0	8	0	0	8	0
Do. $\frac{1}{2}$ lb.	,,	0	14	0	0	8	0	0	8	0
Do. 1 lb.	,,	0	12	0	0	8	0	0	8	0
Do. $1\frac{1}{2}$ lb.	,,	0	12	0	0	8	0	0	8	0
Do. 2 lb.	,,	0	12	0	0	8	0	0	8	0
Hinges, iron, English, 2″ with screws, superior	Pairs.	0	14	0	0	6	0	0	6	0
Do. $2\frac{1}{2}$″ do.	,,	0	14	0	0	8	0	0	8	0
Do. 3″ do.	,,	0	14	0	0	8	0	0	8	0
Do. $3\frac{1}{2}$″ do.	,,	0	14	0	0	8	0	0	8	0
Do. 4″ do.	,,	0	14	0	0	8	0	0	8	0
Hinges, brass, English, 1″ to 2″ with screws, superior.	,,	1	0	0	1	0	0	1	0	0
Hinges, brass, English, 3″ with screws, superior	,,	1	4	0	1	4	0	1	4	0
Do. 4″ do.	,,	1	8	0	1	4	0	1	4	0
Hooks, brass, 1″ with screwed eyes	No.	0	4	0	0	2	0	0	2	0
Do. 2″ do.	,,	0	6	0	0	2	6	0	2	6
Do. 3″ do.	,,	0	8	0	0	4	0	0	4	0
Do. 4″ do.	,,	0	10	0	0	4	0	0	4	0
Iron tack nails, square, $\frac{1}{2}$″ to $1\frac{1}{2}$″	Lb.	0	12	0	0	8	0	0	8	0
Copper do. do.	,,	2	4	0	2	0	0	2	0	0
Iron sheets and bars, of sizes, superior	Cwt.	35	0	0	21	0	0	21	0	0
Lamps, Hurricane, Deitz	No.	4	0	0	2	8	0	2	8	0
Lead sheet, $\frac{1}{16}$″ to $\frac{1}{4}$″ thick	Lb.	0	8	0	0	8	0	0	8	0
Locks, brass, $1\frac{1}{2}$ to 3″, almirah, with screws, 4 levers, superior.	No.	4	0	0	2	0	0	2	0	0
Locks, brass, 4″, almirah, with screws, 4 levers, superior.	,,	4	0	0	2	0	0	2	0	0
Locks, iron, 3″, almirah, with screws, 4 levers, superior.	,,	2	0	0	1	0	0	1	0	0
Locks, brass, 2 to 3″, draw, with screws, 4 levers, Europe.	,,	4	0	0	2	0	0	2	0	0
Locks, brass, 2 to 3″, draw, with screws, 4 levers, country.	,,	2	0	0	1	0	0	1	0	0
Locks, pad, iron, 4 levers superior, 3″, with key and hasps and staples, superior, with screws.	,,	4	0	0	1	12	0	1	12	0
Locks, pad, iron, 4 levers, superior, $1\frac{1}{3}$″ to $2\frac{1}{2}$″	,,	3	0	0	1	12	0	1	12	0
Locks, pad, iron, 4 levers, without hasps and staples and screws	,,	3	4	0	1	12	0	1	12	0
Locks, pad, iron, 4 levers, without hasps and staples and screws $1\frac{1}{2}$ to $2\frac{1}{2}$″.	,,	2	4	0	1	12	0	1	12	0
Locks, pad, brass, 3″, with key and hasps and staples, superior, with screws.	,,	4	8	0	2	8	0	2	8	0
Locks, pad, brass, $2\frac{1}{2}$″ to 3″, without hasps and staples, superior, with screws.	,,	3	12	0	2	0	0	2	0	0
Locks, Miller	,,	..			..			0	4	0
Mamootties, sized, 1′ long, 9″ broad	,,	2	0	0	1	0	0	1	0	0
Netting, wire, iron	Cwt.	..			..			17	0	0

6th September 1928]

Schedule for Group II – Hardware—*cont.*

Description of articles.		Rate, 1926-27.			Rate, 1927-28.			Rate, 1928-29.		
		RS.	A.	P.	RS.	A.	P.	RS.	A.	P.
Needles, big, gunny	No.	0	1	0	0	0	1	0	0	1
Do. ordinary	,,	0	1	0	0	0	1	0	0	1
Nuts, iron, of sizes	Doz.		..			..		0	12	0
Rat trap, iron wire	No.	2	0	0	1	8	0	1	8	0
Rivets, iron	Lb.					..		0	5	0
Iron screws, ½", No. 4	Gross.	0	10	0	0	5	0	0	5	0
Do. ⅝", Nos. 4 to 6	,,	0	12	0	0	5	0	0	5	0
Do. ⅝", Nos. 5 to 7	,,	0	12	0	0	5	0	0	5	0
Do. ¾", do.	,,	0	13	0	0	7	0	0	7	0
Do. 1" do.	,,	0	15	0	0	7	0	0	7	0
Do. 1¼", Nos. 5 to 9	,,	1	0	0	0	7	0	0	7	0
Do. 1½", Nos. 6 to 9	,,	1	6	0	0	8	0	0	8	0
Do. 2" do.	,,	1	10	0	0	9	0	0	9	0
Do. 2½", Nos. 7 to 14	,,	3	6	0	1	0	0	1	0	0
Do. 3" do.	,,	3	12	0	1	4	0	1	4	0
Sieves, tin, 6" to 12" diameter	No.	0	8	0	0	6	0	0	6	0
Slide hooks for almirahs, brass	,,	0	8	0	0	8	0	0	8	0
Do. iron	,,	0	4	0	0	4	0	0	4	0
Steel, bar or plate, of sizes, superior	Cwt.	42	0	0	28	0	0	28	0	0
Strainer, gauze, 12" diameter, brass, 4" deep	No.	1	0	0	0	8	0	0	8	0
Tin pots to hold 1 pint of water	,,	0	2	0		..		0	2	0
Tin sheets, 14" × 20"	Each.		..			..		0	4	0
Tubs, iron, for latrine (as per sample)	No.	6	0	0	4	8	0	4	8	0
Watering cans, garden (tin)	,,		..			..		1	0	0
Window hooks, iron, 2"	,,	0	3	0	0	1	0	0	1	0
Do brass, 2"	,,	0	6	0	0	2	0	0	2	0
Winnows, iron, 1½' long, 1½' broad	,,	0	8	0	0	4	0	0	4	0
Wire nails, ½" to 1"	Lb.	0	12	0	0	6	0	0	6	0
Do. 1¼" to 4"	,,	0	6	0	0	2	6	0	2	6

SCHEDULE FOR GROUP III—OIL, SOAP, Etc.

Description of articles.		Rate, 1926-27.			Rate, 1927-28.			Rate, 1928-29.		
		RS.	A.	P.	RS.	A.	P.	RS.	A	P.
Acid, carbolic	Lb.	2	0	0	2	0	0	2	0	0
Do. muriatic	,,	0	8	0	0	8	0	0	8	0
Do. nitric	,,	0	8	0	0	8	0	0	8	0
Do. sulphuric	,,	0	7	0	0	7	0	0	7	0
Alum	,,	0	3	0	0	0	1	0	0	1
Ammonia	,,	0	12	0	0	5	0	0	5	0
Baize, green, blue or black, 4' × 6'	No.	7	0	0	7	0	0	7	0	0
Bamboo sieve, 1½" diameter	,,	0	1	0	0	1	0	0	1	0
Do. sticks, 8' long, 4" thick	,,	0	8	0	0	4	0	0	4	0
Bellows, country	,,	4	0	0	4	0	0	4	0	0
Benzine, superior	Bottle of 1 pint.	1	0	0	0	12	0	0	12	0
Bluestone	Lb.	0	8	0	0	8	0	0	8	0
Borax	,,	0	4	0	0	1	0	0	1	0
Bricks, kiln	No.	0	0	3	0	0	3	0	0	3
Brasso in 1 lb. tins	,,	1	4	0	1	2	0	1	2	0
Brooms, bamboo, with handle, 6' long for scavengers.	,,	1	0	0	1	0	0	1	0	0
Brooms, ordinary, bundle, 2½' long, 2" diameter	,,	0	0	9	0	0	9	0	0	9
Brooms, coconut	,,	0	1	0	0	1	0	0	1	0

[6th September 1928

Schedule for Group III—Oil, soap, etc.—*cont.*

Description of articles.		Rate, 1926-27.			Rate, 1927-28.			Rate, 1928-29.		
		RS.	A.	P.	RS.	A.	P.	RS.	A.	P.
Candles	Lb.	0	8	6	0	8	0	0	8	0
Cups, porcelain	No.	..			..			0	8	0
Cusous tattis, 6' × 4'	,,	3	8	0	3	8	0	3	8	0
Casuarina wood, dried, 10" to 15" long and about 1" to 3" diameter.	Tons.	27	8	0	26	0	0	26	0	0
Cement, Portland	Cwt.	6	0	0	6	0	0	6	0	0
Charcoal, soft (split), large pieces to be used for gas engine.	Tons.	80	0	0	60	0	0	60	0	0
Charcoal, in bags of 40 lb. each	Bags.	1	8	0	1	8	0	1	8	0
Chimneys, glass, for kerosene lamps	No.	0	4	0	0	4	0	0	4	0
Do. for Hurricane lamps	,,	0	8	0	0	6	0	0	6	0
China paper	Qrs.	..			..			1	8	0
Chunam	Pora.	0	12	0	0	12	0	0	12	0
Do. shell	,,	1	0	0	1	0	0	1	0	0
Cobweb sticks, of sizes	No.	0	8	0	0	6	0	0	6	0
Coconut oil	Lb.	0	8	0	0	8	0	0	8	0
Commode, enamel	No.	2	0	0	2	0	0	2	0	0
Cotton, ordinary, white, fresh	Lb.	1	0	0	1	0	0	1	0	0
Do. ropes, $\frac{1}{16}$" to 1" thick	,,	0	10	0	..			..		
Cowdung cakes	No.	0	0	3	0	0	3	0	0	3
Cups, porcelain, 3" to 9" diameter	,,	0	12	0	0	8	0	0	8	0
Cups and saucers, enamelled	Sets.	0	12	0	0	8	0	0	8	0
Cuttras, earthen	Doz.	0	4	0	0	4	0	0	4	0
Disinfecting powder (carbolic)	Lb.	0	4	0	0	4	0	0	4	0
Divi divi	,,	0	2	0	0	1	0	0	1	0
Dungry cloth, 39" wide (superior and thick)	Yds.	0	10	0	..			..		
Emery sheet (rough, medium or fine)	Doz.	1	4	0	1	2	0	1	2	0
Do. powder	Lb.	1	0	0	0	14	0	0	14	0
Enamel, black, green, white and red (eagle brand).	,,	1	0	0	0	12	0	0	12	0
Flour, wheat, first sort, for paste, in bags of 192 lb. net each.	Bags.	30	0	0	27	8	0	25	0	0
French polish	Bottle of 2 pints.	1	4	0	0	14	0	0	14	0
Foot rule, 2' long, wooden, four fold	No.	..			..			1	4	0
Glass panes, of sizes	,,	0	4	0	0	4	0	0	4	0
Glass tumblers to hold 2 pints (ice proof)	,,	0	6	0	0	4	0	0	4	0
Goglets, earthen, to hold 6 pints	,,	0	2	6	0	2	6	0	2	6
Hand bellows, small	,,	..			..			3	0	0
Husk, bags of 50 lb. each	,,	0	10	0	0	8	0	0	8	0
Iron sulphate	Lb.	0	2	0	0	2	0	0	2	0
Isinglass	Oz.	0	8	0	0	4	0	0	4	0
Jaggery	Lb.	0	2	6	0	2	6	0	2	6
Japan, black	Bottle of 2 pints.	1	0	0	1	0	0	1	0	0
Ladders, bamboo (16' and 10' long)	No.	1	0	0	1	0	0	1	0	0
Lamp oil, ordinary	Lb	0	6	0	0	5	0	0	5	0
Linseed oil, boiled	Bottle of 2 pints.	1	4	0	0	14	0	0	14	0
Match boxes, safety, large	Doz.	0	5	0	0	4	0	0	4	0
Mercury	Lb.	4	0	0	3	0	0	3	0	0
Methylated spirits of wine	Bottle of 2 pints.	0	14	0	0	8	0	0	8	0
Moulding clay	Cwt.	2	8	0	2	8	0	2	8	0
Mullays	Doz.	0	12	0	0	12	0	0	12	0
Myrabolams	Lb.	0	1	6	0	1	0	0	1	0
Naphthaline	,,	0	10	0	0	6	0	0	6	0

6th September 1928]

Schedule for Group III—Oil, soap, etc. —*cont.*

Description of articles.		Rate, 1926-27.	Rate, 1927-28.	Rate, 1928-29.
		RS. A. P.	RS. A. P.	RS. A. P.
Oil cloth for ruling machine (superior and thick) ..	Yds.	3 4 0	2 0 0	2 0 0
Omum water, bottles	No.	0 4 0	0 4 0	0 4 0
Paint, black, white, green, red and dark green ..	Lb.	1 0 0	0 14 0	0 14 0
Phenyle	Galls.	4 8 0	3 0 0	3 0 0
Pitch	Lb.	0 0 3	0 0 3	0 3 0
Pot rest	No.	0 0 1	0 0 1	0 0 1
Powder, vermilion	Lb.	0 12 0	0 10 0	0 10 0
Putty	,,	0 4 0	0 1 6	0 1 6
Rattan baskets, 1½′ and 1¾′ diameter	No.	1 4 0	1 4 0	1 4 0
Red lead	Lb.	1 0 0	0 14 0	0 14 0
Rosin	,,	0 6 0	0 6 0	0 6 0
Sand, river	Carts.	..	..	2 0 0
Sand paper, fine, medium and rough	Doz.	1 0 0	0 12 0	0 12 0
Sandal stone, diameter 1′, thickness 2″	No.	0 8 0	0 8 0	0 8 0
Shellac	Lb.	1 0 0	1 0 0	1 0 0
Sieves	No.	0 2 0	0 2 0	0 2 0
Soap, Calvert's carbolic	Cakes.	..	..	0 5 0
Soapnut	Lb.	0 1 0	0 1 0	0 1 0
Starch, white	,,	0 3 0	0 3 0	0 3 0
Olive oil	Bottle of 1 pint.	1 5 0	1 5 0	1 5 0
Tallow, country	Lb.	0 8 0	0 8 0	0 8 0
Do. Russian	,,	..	..	1 0 0
Tar	,,	0 2 0	0 2 0	0 2 0
Tin funnel, 6″ diameter	No.	0 1 0	0 1 0	0 1 0
Tin pump, 1′ high, complete	,,	0 3 0	0 3 0	0 3 9
Turpentine, pure	Bottle of 1 pint.	..	..	..
Twigs, well dried, about 6″ long, ½″ thick in bundles of 56 lb. each.	Bdls.	..	..	0 12 0
Twigs, well dried, about 6″ long, ½″ thick in bundles of 40 lb. each.	,,	0 12 0	0 12 0	..
Twine, seaming (soft), for book-binders (superior) ..	Lb.	2 0 0	2 0 0	4 0 0
Vaseline	,,	0 8 0	0 8 0	0 8 0
Varnish paper	1 lb. tins.	..	..	3 0 0
Vinegar	Bottle of 2 pints.	0 8 0	0 4 0	0 4 0
Waste cotton, white (superior)	Lb.	0 7 0	0 8 0	0 8 0
Do. coloured	,,	0 6 0	0 6 0	0 6 0
Washers, leather, for pumps	No.	..	..	0 0 6
Water, distilled	Pints.	0 4 0	0 4 0	0 4 0
Water pots, large, 2′ high (40), and small, 1′ high (200).	No.	0 5 0	0 5 0	0 5 0
Wax, white or yellow	Lb.	1 4 0	1 4 0	1 4 0
White lead	,,	0 8 0	0 6 0	0 6 0
Whiting, pure	,,	0 3 0	0 3 0	0 3 0
Wick, for lamps	Yds.	0 4 0	0 2 0	0 2 0
Do. round, ¼″ to 2″ diameter	,,	0 4 0	0 4 0	0 4 0
Do. for stoves	,,	0 12 0	0 8 0	0 8 0
Winnows	No.	0 4 0	0 4 0	0 4 0
Wooden knobs, diameter 2″, length 2½″	,,	0 2 0	0 2 0	0 2 0

[6th September 1928

SCHEDULE FOR GROUP IV—DATE MATS, ROPES, Etc.

Description of articles.		Rate, 1926–27.	Rate, 1927–28.	Rate, 1928–29.
		RS. A. P.	RS. A. P.	RS. A. P.
Date mats, 6′ × 4′	No.	32 8 0	32 8 0	32 8 0
Do. 5′ × 3′	,,	29 8 0	29 8 0	29 8 0
Ropes for packing, 5 yards long (as per approved sample)	,,	2 2 0	2 8 0	3 0 0

SCHEDULE FOR GROUP V—BRUSHES.

Description of articles.		Rate, 1926–27.	Rate, 1927–28.	Rate, 1928–29.
		RS. A. P.	RS. A. P.	RS. A. P.
Brass scratching brushes, 1″ to 2″	No.	1 4 0	1 4 0	1 4 0
Brushes, lye, size 9″ × 4″ hair bristles, wire backed, to be equal to sample.	,,	3 8 0	3 0 0	3 0 0
Brushes, pick, size $4\frac{1}{2}''$ × 2″ hair bristles, wire backed, to be equal to sample.	,,	1 12 0	1 8 0	1 8 0
Paint brushes	,,	1 0 0	1 0 0	1 0 0
Tooth	,,	..	..	0 4 0

SCHEDULE FOR GROUP VI—SOAP, COUNTRY.

Description of articles.		Rate, 1926–27.	Rate, 1927–28.	Rate, 1928–29.
		RS. A. P.	RS. A. P.	RS. A. P.
Soap, country	Lb.	0 2 0	0 2 0	0 2 0
,, ordinary, bars	No.	1 0 0	1 0 0	1 0 0

SCHEDULE FOR GROUP VII—POTASH, COUNTRY.

Description of article.		Rate, 1926–27.	Rate, 1927–28.	Rate, 1928–29.
		RS. A. P.	RS. A. P.	RS. A. P.
Potash, country	Lb.	0 2 6	0 2 6	0 2 6

6th September 1928]

SCHEDULE FOR GROUP VIII—FURNITURE, Etc.

Articles.		Rate, 1926-27.	Rate, 1927-28.	Rate, 1928-29.
		RS. A. P.	RS A. P.	RS. A. P.
Chairs, Office, with wooden seat, teakwood, 18" high, 19½" × 18½".	Each.	7 0 0	..	..
Chairs, Office, with arms and cane seat	,,	10 0 0	..	..
Tables, Office, teakwood, 3' 7½" × 2' 5½" × 2' 6", with 2 drawers and patent locks and keys, complete.	,,	22 8 0	..	..
Frames—				
Tamil, 3' 6" × 2' 9"; 2' 11½" high in front, 4' 9" high at back.	,,	19 8 0	19 8 0	..
Telugu, 3' 10" × 2' 9"; 2' 11½" high in front, 4' 9" high at back.	,,	19 8 0	19 8 0	..
Telugu to hold 4 half cases	Per pair.	19 8 0	19 8 0	..
Malayalam, 3' 6" × 2' 9"; 2' 11½" high in front, 4' 9" high at back.	Each	19 8 0	19 8 0	..
Hindustani, 3' 3" × 2' 9"; 2' 11½" high in front, 4' 9" high at back.	,,	19 8 0	19 8 0	..
Kanarese, 3' 6" × 2' 9"; 2' 11½" high in front, 4' 9" high at back.	,,	19 8 0	19 8 0	..
Mallets, satin wood	,,	1 6 0	1 6 0	1 6 0
Planers, Trincomallee wood, 7¾" × 3¾" × 1¼" ..	,,	1 0 0	1 0 0	1 0 0
Shooting sticks, rosewood, brass tipped, 9" long.	,,	3 0 0	3 0 0	3 0 0
Do. ordinary	,,	..	..	0 3 0
Wooden plough press with tub, knife, complete.	,,	80 0 0	80 0 0	80 0 0
Press handles, rosewood, 6"	Per doz.	9 0 0	9 0 0	..
Do. 18"	,,	9 0 0	9 0 0	9 0 0
Almirah, teakwood, 5' × 3' × 2'	No.	80 0 0	80 0 0	..

SCHEDULE FOR GROUP IX—METAL WORK.

Articles.		Rates offered.		
		1926-27.	1927-28	1928-29.
		RS. A. P.	RS. A. P.	RS. A. P.
Brass Composing sticks, 6" long	Each.	3 10 0	3 10 0	3 10 0
Do. 8" do.	,,	4 0 0	4 0 0	4 0 0
Do. 9" do.	,,	4 2 0	4 2 0	4 2 0
Do. 10" do.	,,	4 4 0	4 4 0	4 4 0
Do. repair of above	,,	1 6 0	1 6 0	1 6 0
Brass Type-holders, 4" long, with spring	,,	2 8 0	2 8 0	2 8 0
Spare handles for the above, rosewood	,,	1 0 0	1 0 0	1 0 0
Brass vessel for boiling ashwater, $\frac{1}{32}$" thick, 1' 8" × 1' 5" diameter, with two handles.	,,	20 0 0	20 0 0	20 0 0
Do. do. to be repaired with fresh bottom.	,,	..	..	4 0 0
Brass Galleys, 29" × 10", with brass bottom, $\frac{1}{16}$" thick and rosewood rims.	,,	7 6 0	7 6 0	7 6 0
Brass Galleys, 27" × 10½", with brass bottom, $\frac{1}{16}$" thick and rosewood rims.	,,	7 0 0	7 0 0	7 0 0
Brass Galleys, 28" × 9¾", with brass bottom, $\frac{1}{16}$" thick and rosewood rims.	,,	7 0 0	7 0 0	7 0 0
Brass Galleys, 24" × 8", with brass bottom, $\frac{3}{64}$" thick and rosewood rims.	,,	5 8 0	5 8 0	5 8 0

[6th September 1928

Schedule for Group IX—Metal Work—*cont.*

Articles.		Rates offered. 1926–27. RS. A. P.	1927–28. RS. A. P.	1928–29. RS. A. P.
Brass Galleys, 18" × 16", with brass bottom, $\frac{1}{16}$" thick and rosewood rims.	Each	6 4 0	6 4 0	6 4 0
Brass Galleys, 14" × 10½", with brass bottom, $\frac{3}{64}$" thick and rosewood rims.	,,	4 6 0	4 6 0	4 6 0
Brass Galleys, 13" × 9", with brass bottom, $\frac{3}{64}$" thick and rosewood rims.	,,	3 12 0	3 12 0	3 12 0
Brass Galleys, 12"×8", with brass bottom, $\frac{3}{64}$" thick and rosewood rims.	,,	3 12 0	3 12 0	3 12 0
Brass Galleys, 16"×24", with brass bottom, $\frac{1}{16}$" thick and rosewood rims.	,,	8 0 0	8 0 0	8 0 0
Brass Galleys, 15"×22", $\frac{1}{16}$" thick and rosewood rims.	,,	7 12 0	7 12 0	7 12 0
Brass Galleys, 10"×8", $\frac{3}{64}$" thick and rosewood rims.	,,	3 4 0	3 4 0	3 4 0
Chases, wrought iron frames, movable bars, 1"×½"— Double Foolscap, 27"×17¾" inside	,,	7 8 0	7 8 0	7 8 0
Do. do. do. square outside one edge for folding chase.	,,	10 0 0	10 0 0	10 0 0
Do. 28¾"×18½" do.	,,	10 0 0	10 0 0	10 0 0
Imperial, 30½"×21½" inside	,,	10 0 0	10 0 0	10 0 0
Royal, 27"×22½" inside	,,	10 0 0	10 0 0	10 0 0
Do. do. do. square outside one edge for folding chase.	,,	10 0 0	10 0 0	10 0 0
Half Royal, 22½"×13½" inside	,,	5 0 0	5 0 0	5 0 0
Demy, 24"×18¾" inside	,,	5 0 0	5 0 0	5 0 0
Copper vessel for boiling ashwater, $\frac{1}{32}$" thick, 1' 8"×1' 5" diameter, with two handles.	,,	24 0 0	24 0 0	24 0 0
Glue melting kettles, copper, inner and outer as per sample.	Set	20 8 0	20 8 0	20 8 0
Roller frames, Royal size, iron, with paddock wood handles.	Each.	7 0 0	7 0 0	7 0 0
Do. Demy do. do. do. ..	,,	6 0 0	6 0 0	6 0 0
Do. Foolscap size, iron do. ..	,,	5 8 0	5 8 0	5 8 0
Do. Job do. do. do. ..	,,	4 0 0	4 0 0	4 0 0

Accepted rates.

Sheepskins.	1926–27. RS. A. P.	1927–28. RS. A. P.	1928–29. RS. A. P.
Foolscap—15×19½	1 5 3 (Jan. 1926) ..	1 10 6 (Mar. 1927) ..	1 12 0 (Apr. 1928)
	1 6 6 (Mar. ,,) ..	1 6 6 (July ,,) ..	1 13 6 (June ,,)
	1 7 6 (Apr. ,,) ..	1 10 0 (Nov. ,,) ..	....
	1 9 0 (Sep. ,,) ..	1 11 0 (Feb. 1928). ..	....
	1 9 6 (Nov. ,,) ..	....	....
	1 10 0 (Feb. 1927) ..	....	....
Royal 21×28	2 8 6 (Jan. 1926) ..	3 5 0 (Dec. 1927). ..	3 8 0 (May 1928)
	2 14 6 (Apr. ,,) ..	....	....
	3 3 0 (Jan. 1927) ..	....	....